INKSIGHT



Inline viscosity management solution for the corrugated printing industry

RPS InkSight® measures and controls ink viscosity with unparalleled resolution and stability enabling tight and consistent color control from start to finish on every print job. Its accuracy and reproducibility allow rapid and automatic setup of stored print jobs for repeat orders.

Viscosity is the single most important variable for printing color quality. The RPS InkSight system maintains the highest color quality standards through tight and accurate viscosity control. **Efficiency** starts with setting up a job. Being able to nail the proper viscosity for all stations without cut-and-try tinkering means rapid job turnover, keeping machines printing instead of idling.

Printing with correct viscosity improves more than just print quality. It saves expensive pigments and solvents, improving profitability.

RPS InkSight optimizes the use of solvent and ink creating environmentally friendly and sustainable printing.







Highest print quality Tighter viscosity control



gives tighter color control



More efficient operations Makes viscosity direct bridge to spectro standards



Reduced printing costs Optimizes ink & solvent use



Easy scalability Saves and Loads Jobs for repeat orders







Reduce Solvent Emissions Operators report 40% reduction



Better Operator Safety Eliminates manual measurement



Completely Automate Provides the missing link in full press automation



Data-driven Decisions Tracks and traces every job






Ink viscosity and color control solution

Automatic ink control

Level 5 autonomy



Add-Ons



Smart wash



pH system



Solvent Delivery & Level system



Thermal Management





Ink viscosity and color control solution


Operating modes of the system

Operator focused design

A single button places the full power of the RPS InkSight in the hands of the operator.


The operator enables "Ink Station" on the RPS InkSight ColorLock screen.

Click on Color ID, then type the Pantone ID, select color, click checkbox to enable station and save.



The 'Lock' button has two functions: selects current measured viscosity value as the setpoint and enables automatic control across the print run.





The viscosity setpoints, tolerances, pantone ID, color, name of the run, and other job details are stored in a job configuration file. Saved jobs can be loaded into the system to print repeat orders. Running repeat jobs becomes much simpler, eliminating setup scrap and reducing setup time.









Ink viscosity and color control solution

RPS InkSight has at its core a technologically superior, best-in-market viscometer, the SRV. It uses patented and proprietary, ultra-stable resonator technology that adds up to the industry's most robust, repeatable and accurate sensor. The Rheonics SRV sensor is factory calibrated to NIST standards, requiring no re-calibration during its lifetime.

Small form factor and easy installation

Fits in the palm of your hand; more robust than any other viscometer

All 316L stainless steel wetted parts

Hermetically sealed housing, no gaps or moving parts

Accurate, repeatable, reproducible

Newtonian, non-Newtonian, single- and multi-phase fluids

Wide viscosity range

Up to 50,000+ cP, solvent- and water-based, UV inks and adhesives

Built-in fluid temperature measurement

For fast, reliable temperature compensation of viscosity









Focus on print quality instead of measurement skills!

Achieve exceptional print quality, dramatically reduce setup time and optimise use of pigments and solvents. Improve productivity and efficiency through reliable automation of color control on your press.

- Robust, maintenance free viscosity sensor eliminates need for re-calibration
- Agile viscosity controller reduces viscosity variation to less than 1% over entire print run
- One-click, intuitive graphical interface
- Tighter, more accurate color density and dE control
- Reduce setup time and setup scrap
- Complete automation for improved productivity and efficiency

Contact Information

rheonics GmbH

Klosterstrasse 19 8406 Winterthur Switzerland +41 52 511 32 00

rheonics Inc.

3 Sugar Creek Center Blvd, Ste 100 Sugar Land, TX 77478 United States of America +1 713 364 5427

https://rheonics.com/inksight info@rheonics.com













