

Tri-Clamp Spool Piece

Adapter Order Code


FTP-20T-40T

Inlet/Outlet Connection

Tri-Clamp 4"

Sensor Connection


Tri-Clamp 2"



Units: mm
[inch]

FTP-20T-40T Tri-Clamp Tee Spool Piece

This drawing remains property of rheonics. It may be neither copied nor informed to third persons or competitors without our approval. (2 paragraph 1 fig.7 copyright act of 9th Sept. 1965)





rheonics

inline process
density and viscosity
monitoring



SRV-HD-X3-A99-20T



This accessory should not be used in fluids and applications where there is a chance of plugging at the base of the sensor.



Units: mm
[inch]

SRV Installation Drawing FTP-20T-40T

This drawing remains property of rheonics. It may be neither copied nor informed to third persons or competitors without our approval. (2 paragraph 1 fig.7 copyright act of 9th Sept. 1965)



SRD-HD-X3-A95-20T



This accessory should not be used in fluids and applications where there is a chance of plugging at the base of the sensor.

Units: mm
[inch]

SRD Installation Drawing FTP-20T-40T

This drawing remains property of rheonics. It may be neither copied nor informed to third persons or competitors without our approval. (2 paragraph 1 fig.7 copyright act of 9th Sept. 1965)