


| Tri-Clamp Spool Piece | |
|-------------------------|--------------|
| Adapter Order Code | FTP-20TL-30T |
| Inlet/Outlet Connection | Tri-Clamp 3" |
| Sensor Connection | Tri-Clamp 2" |



Units: mm
[inch]

FTP-20TL-30T Tri-Clamp Tee Spool Piece



This drawing remains property of rheonics. It may be neither copied nor informed to third persons or competitors without our approval. (2 paragraph 1 fig.7 copyright act of 9th Sept. 1965)

rheonics

inline process
density and viscosity
monitoring



SRV-HD-X3-A99-20T



This accessory should not be used in fluids and applications where there is a chance of plugging at the base of the sensor.

Units: mm
[inch]

SRV Installation Drawing FTP-20TL-30T



This drawing remains property of rheonics. It may be neither copied nor informed to third persons or competitors without our approval. (2 paragraph 1 fig.7 copyright act of 9th Sept. 1965)

rheonics

inline process
density and viscosity
monitoring



SRD-HD-X3-A95-20T



Units: mm
[inch]

This accessory should not be used in fluids
and applications where there is a chance of
plugging at the base of the sensor.

SRD Installation Drawing FTP-20TL-30T

This drawing remains property of rheonics. It may be neither copied nor informed to third persons or competitors without our approval. (2 paragraph 1 fig.7 copyright act of 9th Sept. 1965)

rheonics



inline process
density and viscosity
monitoring

Protected by US and International patents granted and pending

rheonics • Switzerland • USA • www.rheonics.com • info@rheonics.com +41 52 511 32 00 +1 713 364 5427

Release: 2412